

*Amendments to the Claims*

1. (Currently Amended) A method for displaying a digital television broadcasting, the method comprising the steps of:

separating AV broadcast signals and data broadcast signals from digital television broadcast signals of at least one channel;

selectively mixing the AV broadcast signals and the data broadcast signals according to a display setup request inputted by ~~an audience and~~ an input unit;

providing the selectively mixed signals directly to a first ~~at least one~~ display unit; and

providing the selectively mixed signals via a home network to at least one display unit other than the first display unit and other than the input unit.

2. (Currently Amended) The method according to claim 1, ~~wherein~~ further comprising receiving the broadcast signals ~~of the at least one channel are received~~ by corresponding tuners.

3. (Original) The method according to claim 1, wherein the display setup request includes the kinds of display units and screen configurations of display units.

4. (Currently Amended) The method according to claim 1, ~~wherein~~ further comprising displaying the AV broadcast signal of one channel ~~is displayed on~~ at least one display unit ~~among the at least one display unit.~~

5. (Currently Amended) The method according to claim 1, ~~wherein~~ further comprising displaying the AV broadcast signal of one channel and the data broadcast signals of other channels ~~are displayed on one display unit among the at least one~~ other than the first display unit.

6. (Currently Amended) The method according to claim 1, ~~wherein~~ further comprising displaying the data broadcast signal of one channel ~~is displayed on another display unit among the at least one~~ than the first display unit.

7. (Currently Amended) The method according to claim 1, wherein the AV broadcast signals of at least one channel are displayed on another than the first display unit among the at least one display unit.

8. (Currently Amended) The method according to claim 1, wherein the AV broadcast signal and the data broadcast signal of one channel are displayed on further ~~another display unit~~ units other than the first display unit ~~among the at least one display unit~~.

9. (Currently Amended) The method according to claim 1, wherein the AV broadcast signals and the data broadcast signals of at least one channel are displayed on further ~~another display unit~~ units other than the first display unit ~~among the at least one display unit~~.

10. (Currently Amended) The method according to claim 1, wherein ~~the at least one a display display unit are~~ includes any one of a television display device, a monitor display device, and a terminal display device.

11. (Currently Amended) A method for displaying digital television broadcasting, the method comprising the steps of:

separating AV broadcast signals and data broadcast signals from digital television broadcast signals of at least one channel in response to a display setup request inputted by an ~~audience~~ input unit;

selectively mixing the AV broadcast signals and the data broadcast signals according to the display setup ~~request~~; and request;

providing the selectively mixed signals directly to at least one a first display unit; and

providing the selectively mixed signals via a home network to at least one display unit other than the first display unit and other than the input unit.

12. (Currently Amended) An apparatus for displaying digital television broadcasting, comprising:

a processing means for separating AV broadcast signals and data broadcast signals from digital television broadcast signals of at least one channel;

an input means for inputting a display setup request;

a mixing means for selectively mixing the AV broadcast signals and the data broadcast signals according to the display setup request inputted from the input ~~means; and~~ means;

a home network;

a first display means for displaying the selectively mixed signals directly from the mixing means; and

at least one display means other than the first display means and other than the input means for displaying the selectively mixed signals via the home network

~~at least one display means for displaying the mixed signals provided from the mixing means.~~

13. (Original) The apparatus according to claim 12, wherein the processing means include:

at least one tuning means for receiving and tuning the broadcast signals of at least one channel; and

a separating means for separating the AV broadcast signals and the data broadcast signals from the tuned broadcast signals.

14. (Original) The apparatus according to claim 12, wherein the display setup request includes the kinds of display units and screen configurations of display units.

15. (Original) The apparatus according to claim 12, wherein the input means is any one of a remote controller, a keyboard, a mouse, a keypad, and a touch pad.

16. (Currently Amended) The apparatus according to claim 12, wherein the ~~at least one~~ first display means include:

a first display unit for displaying AV broadcast signal of one channel;

a second display unit for displaying data broadcast signal of one channel; and

a third display unit for displaying the AV broadcast signal and the data broadcast signal of one channel.

17. (Original) The apparatus according to claim 16, wherein the first display unit displays the AV broadcast signal of one channel and the data broadcast signals of other channels.

18. (Original) The apparatus according to claim 16, wherein the second display unit displays AV broadcast signals of at least one channel.

19. (Original) The apparatus according to claim 16, wherein the third display unit displays AV broadcast signals and data broadcast signals of at least one channel.

20. (Currently Amended) The apparatus according to claim 12, wherein the ~~at least one~~ first

display means include any one of a television display device, a monitor display device, and a terminal display device.

21. (New) The method of claim 1, wherein the different display units are associated with an electronic kettle, a refrigerator, or a washing machine.

22. (New) The apparatus of claim 12, wherein the different display units are associated with an electronic kettle, a refrigerator, or a washing machine.